

EÍ ±0 ° W–.... +O, 8 * \ ò å,«Aà~

=	Cm4ÒÍ	W[	+g	* +O α 8	1980.8	p X –L'	*6 –L'	'—(w
04×–0		y – 0;			¼4×–0			
6 0	Aâ8	– }	Š	" J L' Q		] 0 L' W–		
6,,3++eB		13998056697			+e€FP&		jiahongbao@ustl.edu.cn	
%o 6â 4ÿ ¶	2000.09 2004.06 ÈK¯U È 9 Ç W–(™6 –L' È – 2004.09 2007.06 ÈK¯U È 9 Ç W– Ĩ € > 6 €.D0 p È.... 2009.09 2013.01 È Z Ĩ È] 0 L' ĩ ?™ &ÝF –.D0 p È Š							
Œ 4ÿ ¶	2007.07 8# ú ÈM¼ ÈEÍ ±0 ° W– È %o8							
.D 0 é A	y –;´ 7ì,´ \$æ& 7&# f 7 >>~ ±							
>~ W – @ ì	1. Hongbao Jia, Jinghui Sun, Yibo Xu,* et al. Determination of thickness and optical constants of solgel derived porous hydroxide ZrO ₂ films from transmission spectra using different dispersion models, Applied Optics 2012, 51(29), 6937–6944. 2. Wenpin Zhao, Hongbao Jia,* Ying Wang, et al. Design and realization of antireflection coatings for the visible and the infrared based on mesoporous SiO ₂ and SiO ₂ -TiO ₂ hybrid materials, Applied Optics 2019, 58(9), 2389–2392. 3. Si uan Xu, Hongbao Jia,* Chun ang Wang, et al. Low-Temperature Preparation of SiO ₂ /Nb ₂ O ₅ /TiO ₂ -SiO ₂ Broadband Antireflection Coating for the Visible via Acid-Catalyzed Sol-Gel Method, Coatings 2021, 10(8), 737. 4. Sol-gel synthesis of TiO ₂ -SiO ₂ hybrid films with tunable refractive index for broadband antireflection coatings covering the visible range, Journal of Sol-Gel Science and Technology 2022. 5. À60ÈCm4ÒÍ È P1†È\$æ& 7&# >Q ĩ). %öÿ y –;´ 7ì È0 – * (x/n È2018.							
– – 6								
k ?± 9“ @ ¹								

Ò4 ¼4×) « ...} ĩ ž 4 ...} Î Lu ò å È+•PB3α>~| μ é Ä